



# Certificate of Compliance

**Certificate:** 1243380

**Master Contract:** 189101

**Project:** 80131810

**Date Issued:** 2022-09-27

**Issued To:** Copreci S. Coop Ltda.  
Avda de Alava 3  
Apartado 62  
Aretxabaleta, Guipuzcoa, 20550  
Spain

**Attention:** Ruby Ferreira

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*

**Issued by:** *Bob Greene*  
Bob Greene



## **PRODUCTS**

CLASS - C330201 - COMBINATION CONTROLS Part 1

CLASS - C330281 - COMBINATION CONTROLS Part 1 - Certified to U.S. Standards

Thermostat, Manual Valve, and Thermoelectric Safety Shutoff Valve

For Use With Natural, Manufactured, Mixed, Liquefied Petroleum And Liquefied Petroleum Gas-Air Mixtures.

**Trade Name:** Copreci

**Model:**  
MTPP22300

**Inlet:**  
Bolt-On , Combination  
M12 x 1 (M) / 1/8" NPT(M),  
1/4"-20 UNC-2B

**Outlet:**  
7/16"-24UNS-2A, 3/8"-24UNF-2B, 9/16"-24UNEF, G1/8,  
G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT,



**Certificate:** 1243380  
**Project:** 80131810

**Master Contract:** 189101  
**Date Issued:** 2022-09-27

MT22300	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5 7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTG22300	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTZ22300	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTGE22300	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MT22300A	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTGE22300A	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTG22300A	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5
MTZ22300A	Bolt-On , Combination M12 x 1 (M) / 1/8" NPT(M), 1/4"-20 UNC-2B	7/16"-24UNS-2A, 3/8-24UNF-2B, 9/16"-24UNEF, G1/8, G1/4A ISO 228/1, G3/8A ISO 228/1, 1/4"x18NPT, M10x1, M12x1, M12x1.25, M13x1, M14x1, M14x1.5, M15x1, M16x1.25, and M16x1.5

### **APPLICABLE REQUIREMENTS**

ANSI Z21.78-2010·CSA 6.20-2010 "Combination Gas Controls for Gas Appliances" Fourth Edition, Update No. 1 – February 2021



**Certificate:** 1243380  
**Project:** 80131810

**Master Contract:** 189101  
**Date Issued:** 2022-09-27

---

Notes:

---

Products certified under Class C330201, C330281 have been certified under CSA's ISO/IEC 17065 accreditation with the American National Standards Institute (ANSI).  
[www.ansi.org](http://www.ansi.org)





## Supplement to Certificate of Compliance

Certificate: 1243380

Master Contract: 189101

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### Product Certification History

---

Project	Date	Description
80131810	2022-09-27	Change brand of oil used in thermostats' bulb and capillary sensing elements to Report no. 1243380.
70131227	2017-05-26	Thermostat spindle's material change CSA: technical description EN-12167 CuZnPb3R440: brass material characteristics EN-AW-2011: aluminum material characteristics
70105384	2016-11-17	Addition of Model MTGE 22300, addition of new inlet standardize outlets.
2694553	2014-01-17	MTG22300 has a modified spindle and cap. V notch added to cap and post added to the spindle. Pushing the spindle happens when thermostat is in off position. This construction applies with an automatic ignition system controlling oven
2522394	2012-11-27	Addition of the "MT/MTGE/MTG/MTZ 22300A" combination controls. Update Manufacturing And Production Test Plan. Addition of Figures 39-121. Update to ANSI Z21.78-2010 CSA6.20-2010.
2072114	2008-09-09	Addition of factory Copreci de Mexico S.A de C.V., Calle 1 NR.736, Zona Industrial, Mpio Guadalajara, Guadalajara, Jalisco 44940 Mexico. Addition of a revised Manufacturing and Production Test Plan as a Figure. Addition of Figures 25-38.
1936482	2007-08-30	Material change of the following components to T3 AW-2011 EN 754-2 aluminum -racord, grill or pilot outlets and spindle. Addition of Figures 18 to 24 and Appendix A (Manufacturing and Production Plan).