



# Certificate of Compliance

**Certificate:** 1020216

**Master Contract:** 189101

**Project:** 80051830

**Date Issued:** 2020-09-01

**Issued To:** Copreci S. Coop Ltda.  
Avda de Alava 3  
Apartado 62  
Aretxabaleta, Guipuzcoa, 20550  
Spain

**Attention:** Alaitz Gonzales

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*

**Issued by:** *James Sekerak*  
James Sekerak



## **PRODUCTS**

CLASS - C337188 - VALVES (GAS) General Use-Certified to U.S. Standards

CLASS - C337108 - VALVES (GAS) General Use

CLASS - C330281 - COMBINATION CONTROLS Part 1-Certified to U.S. Standards

CLASS - C330201 - COMBINATION CONTROLS Part 1



**Certificate:** 1020216  
**Project:** 80051830

**Master Contract:** 189101  
**Date Issued:** 2020-09-01

**CLASS NO: 3371 08 - VALVES (GAS) GENERAL USE**  
**CLASS NO: 3371 88 - VALVES (GAS) GENERAL USE-CERTIFIED TO U.S. STANDARDS**

Manual Valves – Angle  
 For Use with Natural Gas and Liquefied Petroleum Gases

Model CPMM 21400 (Dual Model):  
 Trade Name: CP

<u>Suffix</u>	<u>Inlet Size</u>	<u>Outlet Size</u>
/375/376	3/8-24 UNF-2A	7/16-24 UNS-2A
/377/378	3/8-24 UNF-2A	<u>9/16-24 UNEF</u>
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A	3/8-24 UNF-2A
	9/16-24 UNEF-2A	9/16-24 UNEF-2A
	5/8-18 UNF-2A	5/8-18 UNF-2A
	7/16-24 UNS-2A	7/16-24 UNS-2A
	1/2 -24 UNS-2A	1/2 -24 UNS-2A
	9/16-24 UNS-2A	9/16-24 UNS-2A
	1/8-27 NPT-2A	1/8-27 NPT-2A
	1/4 -18 NPT-2A	1/4 -18 NPT-2A
	3/8-18 NPT-2A	3/8-18 NPT-2A
	5/8-24 UNEF-2A	5/8-24 UNEF-2A
	7/16-20 UNF-2A	7/16-20 UNF-2A
	9/16-24 UNS-2B	9/16-24 UNS-2B
	3/8-18 NPT-2B	3/8-18 NPT-2B
	5/8-18 UNF-2B	5/8-18 UNF-2B
	1/8-27 NPTF	1/8-27 NPTF
1/8-NPS	1/8-NPS	
1/4 -28 UNF-2B	1/4 -28 UNF-2B	



**Certificate:** 1020216  
**Project:** 80051830

**Master Contract:** 189101  
**Date Issued:** 2020-09-01

**CLASS 3302 01 - COMBINATION CONTROLS Part 1**  
**CLASS 3302 81 - COMBINATION CONTROLS Part 1-Certified to U.S. Standards**

**Manual Valves with Safety Shutoff Device**  
**For Use with Natural Gas and Liquefied Petroleum Gases**

Model CPMM 21400 (Standard model):  
 Trade Name: CP

<u>Suffix</u>	<u>Inlet Size</u>	<u>Outlet Size</u>
/100	5/16 cc	1/4 cc-one+
/096	5/16 cc	1/4 cc-three+
/036	5/16 cc	1/4 cc-one & 5/16cc-two+
/120	3/8 cc	1/4 cc-three+
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B



**Certificate:** 1020216  
**Project:** 80051830

**Master Contract:** 189101  
**Date Issued:** 2020-09-01

For Use with Natural Gas only

<u>Suffix</u>	<u>Inlet Size</u>	<u>Outlet Size</u>
/248	3/8 NPT (F)	1/8-27-two +3/8-24 one
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B

For Use with Liquefied Petroleum Gases only

<u>Suffix</u>	<u>Inlet Size</u>	<u>Outlet Size</u>
/098	5/16 cc	1/4 cc-one+
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B	3/8-24 UNF-2A 9/16-24 UNEF-2A 5/8-18 UNF-2A 7/16-24 UNS-2A 1/2 -24 UNS-2A 9/16-24 UNS-2A 1/8-27 NPT-2A 1/4 -18 NPT-2A 3/8-18 NPT-2A 5/8-24 UNEF-2A 7/16-20 UNF-2A 9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B



**Certificate:** 1020216  
**Project:** 80051830

**Master Contract:** 189101  
**Date Issued:** 2020-09-01

**Manual Valves with Safety Shutoff Device and Spark Generator (Optional)**

Model CPMM 21400 (Spark generator Model):  
 Trade Name: CP

For Use with Natural Gas and Liquefied Petroleum Gases

Suffix	Inlet Size	Outlet Size
/195	7/16-24 UNS	7/16-24 – two + 3/8-24 one
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A	3/8-24 UNF-2A
	9/16-24 UNEF-2A	9/16-24 UNEF-2A
	5/8-18 UNF-2A	5/8-18 UNF-2A
	7/16-24 UNS-2A	7/16-24 UNS-2A
	1/2 -24 UNS-2A	1/2 -24 UNS-2A
	9/16-24 UNS-2A	9/16-24 UNS-2A
	1/8-27 NPT-2A	1/8-27 NPT-2A
	1/4 -18 NPT-2A	1/4 -18 NPT-2A
	3/8-18 NPT-2A	3/8-18 NPT-2A
	5/8-24 UNEF-2A	5/8-24 UNEF-2A
	7/16-20 UNF-2A	7/16-20 UNF-2A
	9/16-24 UNS-2B	9/16-24 UNS-2B
	3/8-18 NPT-2B	3/8-18 NPT-2B
	5/8-18 UNF-2B	5/8-18 UNF-2B
	1/8-27 NPTF	1/8-27 NPTF
	1/8-NPS	1/8-NPS
1/4 -28 UNF-2B	1/4 -28 UNF-2B	

For Use with Natural Gas only

Suffix	Inlet Size	Outlet Size
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A	3/8-24 UNF-2A
	9/16-24 UNEF-2A	9/16-24 UNEF-2A
	5/8-18 UNF-2A	5/8-18 UNF-2A
	7/16-24 UNS-2A	7/16-24 UNS-2A
	1/2 -24 UNS-2A	1/2 -24 UNS-2A
	9/16-24 UNS-2A	9/16-24 UNS-2A
	1/8-27 NPT-2A	1/8-27 NPT-2A
	1/4 -18 NPT-2A	1/4 -18 NPT-2A
	3/8-18 NPT-2A	3/8-18 NPT-2A
	5/8-24 UNEF-2A	5/8-24 UNEF-2A
7/16-20 UNF-2A	7/16-20 UNF-2A	



**Certificate:** 1020216  
**Project:** 80051830

**Master Contract:** 189101  
**Date Issued:** 2020-09-01

	9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B	9/16-24 UNS-2B 3/8-18 NPT-2B 5/8-18 UNF-2B 1/8-27 NPTF 1/8-NPS 1/4 -28 UNF-2B
--	--	--

For Use with Liquefied Petroleum Gases only

Suffix	Inlet Size	Outlet Size
/(001 to 999) Customer Specific Configurations)	3/8-24 UNF-2A	3/8-24 UNF-2A
	9/16-24 UNEF-2A	9/16-24 UNEF-2A
	5/8-18 UNF-2A	5/8-18 UNF-2A
	7/16-24 UNS-2A	7/16-24 UNS-2A
	1/2 -24 UNS-2A	1/2 -24 UNS-2A
	9/16-24 UNS-2A	9/16-24 UNS-2A
	1/8-27 NPT-2A	1/8-27 NPT-2A
	1/4 -18 NPT-2A	1/4 -18 NPT-2A
	3/8-18 NPT-2A	3/8-18 NPT-2A
	5/8-24 UNEF-2A	5/8-24 UNEF-2A
	7/16-20 UNF-2A	7/16-20 UNF-2A
	9/16-24 UNS-2B	9/16-24 UNS-2B
	3/8-18 NPT-2B	3/8-18 NPT-2B
	5/8-18 UNF-2B	5/8-18 UNF-2B
	1/8-27 NPTF	1/8-27 NPTF
	1/8-NPS	1/8-NPS
1/4 -28 UNF-2B	1/4 -28 UNF-2B	

**APPLICABLE REQUIREMENTS**

ANSI Z21.15-2009•CSA 9.1-2009, ANSI Z21.15a-2012•CSA 9.1a-2012, ANSI Z21.15b-2013•CSA 9.1b-2013 (Reaffirmed 2019) - Manually Operated Gas Valves for Appliances, Appliance Connector Valves and Hose End Valves

ANIS Z21.78•CSA6.20-2010 (R2020) – Combination Gas Controls For Gas Appliances



## *Supplement to Certificate of Compliance*

**Certificate:** 1020216

**Master Contract:** 189101

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

---

<b>Project</b>	<b>Date</b>	<b>Description</b>
80051830	2020-09-01	Reformatting of Models Series CPMM 21400 listed in certificate 1020216 to show approved connections and customer specific suffixes.
80002239	2019-05-15	Addition of Models CPMM 21.400 /375, 376, 377, 378.
0002342692	2010-09-27	Approval of alternate construction CPMM-21400/(194,195,196). Addition of classes 3302-01 and 3371-08 for harmonized standards. Addition of M and P Test Plan and Figures 521-523.
0001821625	2006-10-18	Addition of model CPMM 21.400/301 see figure 520