



Certificate of Compliance

Certificate: 70142428

Master Contract: 189101

Project: 80118281

Date Issued: 2022-04-21

Issued To: Copreci S. Coop Ltda.
Avda de Alava 3
Apartado 62
Aretxabaleta, Guipuzcoa, 20550
Spain

Attention: Ruby Ferreira

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: *Bob Greene*
Bob Greene



PRODUCTS

CLASS - C337108 - VALVES (GAS) General Use

CLASS - C337188 - VALVES (GAS) General Use-Certified to U.S. Standards

For Use With Natural and Propane Gas

Trade Name: COPRECI

Model Number

CAM 21.9(0,2)0, Type: Straight,

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)



Certificate: 70142428
Project: 80118281

Master Contract: 189101
Date Issued: 2022-04-21

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

CAM 21.9(0,2)1, Type: Angle,

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

3371-88 VALVES (GAS) - General Use-Certified to U.S. Standards
For Use with Natural, Manufactured, Mixed, Liquefied Petroleum Gases and LP Gas-Air Mixtures

Trade Name: COPRECI

Model Number

CAM 21.9(0,2)0
Type: Straight

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF

CAM 21.9(0,2)1
Type: Angle

Inlet Sizes: Bolt-On Saddle-Mount, 10-32UNF-2B(F), 12-24 UNC(F), 1/4-20UNC-2B(F), 1/8-27 NPT(M)

Outlet Sizes: 1/4 CC (7/16-24UNS-2A), 9/16-24UNF(M), 5/16-32UNF(F), 11/32-32UNS(F), 7/16-20UNF(M), M14x1.5(M), 11/32-32UNSØ12.5(F), 5/16-32UNFØ12.5(F), M12 x 1(F), 1/8-NPT(F), 1/8-27 NPSF



Certificate: 70142428
Project: 80118281

Master Contract: 189101
Date Issued: 2022-04-21

APPLICABLE REQUIREMENTS

ANSI Z21.15-2009• CSA 9.1-2009 (2019) – 2nd Edition – Manually Operated Gas Valves for Appliances, Appliance Connectors Valves and Hose End Valves

ANSI Z21.15a-2012• CSA 9.1a-2012 (2019) – 2nd Edition – Addenda

ANSI Z21.15b-2013• CSA 9.1b-2013 (2019) – 2nd Edition – Addenda

Notes:

Products certified under Class C337108, C337188 have been certified under CSA's ISO/IEC 17065 accreditation with the American National Standards Institute (ANSI).
www.ansi.org





Supplement to Certificate of Compliance

Certificate: 70142428

Master Contract: 189101

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
80118281	2022-04-21	Add new spring for 21900 series manual gas valves to Report no. 70142428. Classes: 3371-08/-88
70195002	2018-08-24	New inlet configuration for saddle-mount inlet for Models CAM 21900 and 21901
70184642	2018-07-30	Add classes 3302-01 and 3302-81 to existing Factory (F6) 4786667 Altsasuko S. Coop
70142428	2017-08-08	Addition of valve adaptor (inlet) and spider bracket for cap. Supersedes Certificate 1877162.