

Ref. Certif. No.

ES2723

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME							
CB TEST CERTIFICATE							
Product	AUTOMATIC ELECTRICAL TEMPERATURE SENSING CONTROL						
Name and address of the applicant	COPRECI, S.COOP. ARABA IBILBIDEA, 3 20550 ARETXABALETA (Gipuzkoa) SPAIN						
Name and address of the manufacturer	SAME AS ABOVE						
Name and address of the factory	SAME AS ABOVE						
Note: When more than one factory, please report on page 2	Additional Information on page 2						
Ratings and principal characteristics	See Annex						
Trademark (if any)	COPRECI						
Customer's Testing Facility (CTF) Stage used	CTF Stage 1						
Model / Type Ref.	See references on the Annex						
Additional information (if necessary may also be reported on page 2)	Additional Information on page 2						
A sample of the product was tested and found to be in conformity with	IEC 60730-1:2013 + AMD1:2015 + AMD2:2020 IEC 60730-2-9:2015 + AMD1:2018 + AMD2:2020						
As shown in the Test Report Ref. No. which forms part of this Certificate	2023120661P1						
This CB Test Certificate is issued by the National Certification Body							
AENOR INTERNACIONAL S.A.U. CI Génova, 6 ES-28004 MADRID (SPAIN) Date: 2024-09-12	Signature: Rafael GARCÍA MEIRO						



Ref. Certif. No.

ES2723

Factory information

COPRECI Beyaz Esya Yan Sanayi Uretim Tic. Itd. Sti Mermerciler (KOBI) OSB. Koseler Mah. 39. Sokak No: 10/1 41455 Dilovasi/KOCAELI - TURKEY

AENOR INTERNACIONAL S.A.U. CI Génova, 6 ES-28004 MADRID (SPAIN) Date: 2024-09-12

Signature: Rafael GARCÍA MEIRO Chief Executive Officer

ANNEX TO CB CERTIFICATE Nº ES2723

CERTIFIED REFERENCES AND THEIR MAIN RATINGS

AUTOMATIC ELECTRICAL TEMPERATURE SENSING CONTROL

Trade mark: COPRECI

Principal Characteristics: 220-240 V~/380-415 V 3N~; 16 A+16 A; 50/60Hz; T85 Series: 7G INDUCTION GENERATOR / FILTER FOR HOB

Type Reference	Ambient temperature limits	Protection against electric shock	Action	Number of automatic cycles	Number of manual actuations	IRC
25003736	85°C	Class I	Type 2	-	-	175 (PTI)
25005413	85°C	Class I	Type 2	-	-	175 (PTI)
25007215	85°C	Class I	Type 2	-	-	175 (PTI)
25007901	85°C	Class I	Type 2	-	-	175 (PTI)
25011709	85°C	Class I	Type 2	-	-	175 (PTI)
61000729	85°C	Class I	Type 2	-	-	175 (PTI)
61002173	85°C	Class I	Type 2	-	-	175 (PTI)
61006753	85°C	Class I	Type 2	-	-	175 (PTI)